Qty:

8 Um:

Each

Date:

Tuesday, 7/4/2006 3:37:01 PM

User:

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Type

Job Number

: 27770

**Estimate Number** P.O. Number

This Issue

Prsht Rev.

First Issue

**Previous Run** 

: 10820

AIU:

: NC

: 7/4/2006

: MA

: 27770

S.O. No. : NA

**Part Number** 

**Drawing Name** 

: D26661

: SADDLE, INBOARD, LS, 206

**Drawing Number** 

. D2666 REV. C

**Project Number Drawing Revision** 

: N/A

Material **Due Date** 

: 7/25/2006

Written By · Checked & Approved By

Comment

Removed P/O for Powder Coat - in house

: MACHINED PARTS

processEC

**Additional Product** 

Job Number:



Seq. #: Machine Or Operation: D6101001 1.0

Description:

7075-T7351 2X6X6.25

1.0000 Each(s)/Unit Comment: Qty.:

Total:

8.0000 Each(s)

7075-T7351 2X6X6.25 Issue material from stock: Cut Size 2.0 x 6.25 X 6.0 Grain Along Long 6.0 Length

Batch No: 8253

2.0

HAAS1



Comment: HAAS CNC VERTICAL MACHINING #1

Program batch number.

1-Inspect part number and batch number are programmed correctly.

2-Fixturing Inspection last completed on the state of the

3-Machine Step No 1 of Folio and visually inspect as per attached Dimension Sheet

6-Machine Step No 2 of Folio and visually inspect as per attached Dimension Sheet

8-Machine Step No 3 of Folio and visually inspect as per attached Dimension Sheet

9- Deburr MILLING CONV

CONVENTIONAL MILLING MACHINE







Comment: CONVENTIONAL MILLING MACHINE

Machine Keyway and inspect per attached dimension sheet

4.0

3.0



INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

Page 1

## **Dart Aerospace Ltd**

Duit	crospac	CLIC							
W/O:			ANGES						
DATE	STEP	PRO	PROCEDURE CHANGE		Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
			in fig.						
						·			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
		<u></u>							
NCR:		V	ORK ORDER NON-CONFO	RMANC	E (NC	R)			
DATE	CTED	Description of NC	Corrective Action	Section B		Verific	ation	Approval	Approval

NCR:			WORK OR	DER NON-CONFO	RMANCE	(NCR)			
		Description of NC	Corrective Action		Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Design Mgr	Action Descrip	ion	Sign & Date	Section C	Design Mgr	Approval QC Inspector
	·								
			*.		Service Service				
		·	-		·	·		: :	
				ı					

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date: 06/08/14
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

Tuesday, 7/4/2006 3:37:01 PM Date: Kim Johnston User: **Process Sheet** Drawing Name: SADDLE, INBOARD, LS, 206 Customer: CU-DAR001 Dart Helicopters Services Part Number: D26661 Job Number: 27770 Job Number: Description: Seq. #: **Machine Or Operation:** SECOND CHECK QC8 Comment: SECOND CHECK HAND FINISHING RESOURCE #1 HAND FINISHING 6.0 06/08/09 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING (8) Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 8.0 QC3 3 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock 06/08/11 Location: 10.0 DC DOCUMENT CONTROL Comment: DOCUMENT CONTROL Inspection Level 21 C 206/08/14 Job Completion

Dart A	erospa	ce Ltd								
W/O:			WO	RK ORDER CH	ANGES					
DATE	STEP	PRO	PROCEDURE CHANGE			Ву	Date	Qty	<b>Approval</b> Mfg / Design Mgr	Approval QC Inspector
			1/							
			<b>%</b>							
		,		· · · · · · · · · · · · · · · · · · ·	v					
				•						
			,							
NCR:			WORK ORDE	R NON-CONFO	RMANC	E (NCR)				
		Description of NC	Description of NC Corrective Action				Verification		Annroyal	A = = = = = = 1
DATE	STEP	Section A	Initial Design Mgr	Action Descript Design Mgr	ion	Sign & Date	Section		n Approval Design Mgr	Approval QC Inspector
						٠.		į		
		· • · .								
		•								
							ļ			
									,	

Part No:	PAR #:	Fault Category:N	CR:	Yes No DQA:	Date:
NOTE: Date & initial all entries		<b>c</b>		QA: N/C Closed:	Date:

H:\forms\Quality Assurance\approved forms\NCRWO revC

DART AEROSPACE LTD	Work Order:	27110
Description: 206 Saddle, Inboard, Left side	Part Number:	D2666-1
Inspection Dwg: D2666 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2666 Rev. C and record below:

				Re	ons				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		<i>(</i> )21	-12	. 122	120		
В	0.100	0.140		. 123	<i>.12</i> 3	124	1.125		
С	2.470	2.510		3482	2.485	2.485	2.485		
D	0.100	0.180		135	1.RS	135	.135.		
E	0.210	0.230		1,222	1,223	,225	<i>22</i> 4		
F	1.313	1.343		1.328	1.32+	7-330	1.330		
G	0.240	0.260		.252	.251	-252	.250		
Н	0.615	0.685		.655	-655	.655	-655.		
ī	1.125	1.145		1./32	1./34	1./33	1.134		
J	0.990	1.010		1.001	7.000	1.000	1.000		
K	0.235	0.240		238	-238	. 239	238		
L	0.510	0.515	-	,514	1.514	.514	,514		
М	0.100	0.120	E	.112	.109	4//0	-///		
N	1.565	1.585	NT88811		and m	erus -			
0	5.990	6.010	<b>1</b>	5.998	5,998	5,998	5.998		
Р	1.245	1.255		1.250	1250	1250	1.250		
Q	2.495	2.505		2500	2.500	2.500	2.500		
R	0.490	0.510		1500	.500	.501	501		
S	0.313	0.318	DT8686				1		
Т	2.495	2.505		2.500	2.200	2.500	2499		
U	1.357	1.367		1.362	1-262	1.361	1.362		
V	0.313	0.318	DT8686						
W	0.540	0.560		1550	-550	.551	550		
Χ	1.674	1.684		1.679	1.1.28	1.6719	1.679		
Υ	0.257	0.262	DT8683		7				
Z				, , , , , , , , , , , , , , , , , , , ,					
AA									
AB									
AC									
AD									
ΑE				1					
AF							_		
AG						-	1		
AH .					,				
	Acc	ept/Reje	ct			-	A PARTICULAR PROPERTY AND ADDRESS OF THE PARTY	_	

Measured by:	71	 Audited by	
Date:	06/08/06	Date:	

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	21
Е	06.06:30	Dimension revised per drawing revision C	KJ/JLM	- 411

DART AEROSPACE LTD	Work Order:	27770
Description: 206 Saddle, Inboard, Left side	Part Number:	D2666-1
Inspection Dwg: D2666 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2666 Rev. C and record below:


				Red	corded Actu	al Dimensio	ons		
Dim <sup>-</sup>	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		124	1125	.124	124		
В	0.100	0.140		125	-126	1126	124		
С	2.470	2.510		2.485	2,485	2,485	2.485		
D	0.100	0.180		.135	.135	. 135	. 135		
Е	0.210	0.230		-226	-225	-225	1234		
F	1.313	1.343		1.330	1.330	1.331	1331		
G	0.240	0.260		.254	1257	1256	-256		
Н	0.615	0.685		.655	.65\$	. 655	.655		
	1.125	1.145		1./23	1.134	113.3	1.132		
J	0.990	1.010		1.000	100/	1.000	1.000		
K	0.235	0.240		238	-238	·238	,231		
L	0.510	0.515		-574	-514	-5/4	-574		
М	0.100	0.120		.112	-111	=112	-110		
N	1.565	1.585	<u></u>						
0	5.990	6.010		5,998	5,558	5.99 8	5.958		
Р	1.245	1.255		1.230	1.230	1.250	6250		
Q	2.495	2.505		2.500	2.500	2,500	2.500		
R	0.490	0.510		1498	1497	4.498	,457		
S	0.313	0.318	DT8686						
Т	2.495	2.505		2.500	2,000	2,500	2.500		
U	1.357	1.367	······································	1362	1.362	1.362	1362		
V	0.313	0.318	DT8686						
W	0.540	0.560		.550	-550	.531	1549		
X	1.674	1.684		1.679	1675	1.675	1675		
Υ	0.257	0.262	DT8683						
Z									
AA					***		1		
AB			******						
AC									
AD						-			
AE	_								
AF									
AG					,				
AH									


Measured by:	42	Audited by	ゴレ
Date:	06,08.08	Date:	06/08/02


Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	2/
E	06.06.30	Dimension revised per drawing revision C	KJ/JLM	




DESIG	#	DRAWN BY	DART AEROSPACE USA, INC.	
CHECH	KED	APPROVED ,	DRAWING NO. REV.	Ç
	上		D2666 SHEET 1 OF	1
DATE			TITLE SCA	LE
06.0	5.26		SADDLE FWD INSIDE HIGH 1	:3
Α		97.03.25	NEW ISSUE	
В		97.07.11	ANGLE AND NOTES ADDED	
O		06.05.26	INCORPORATE DEO 9122, 9102, 9095	









R0.250
R0.525

0.050 X 45° CHAMFER ALL AROUND
0.500

1.250
SHCP COPY
1.250
1.250
ENGINE RING

## D2666-1 SADDLE FWD INSIDE HIGH

NOTES:

1) MATERIAL:

7075-T7351 (QQ-A-250/12) (REF DART SPEC M7075T73B)

2) FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1

POWDER COAT GLOSS WHITE PER DART QSI 005 4.3.5.1 C

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) BREAK ALL SHARP EDGES 0.010 TO 0.020

5) D2666-1 SHOWN (D2666-2 IS OPPOSITE)

6) ALL DIMENSIONS ARE IN INCHES

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER NO. 27770

Copyright @ 1997 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

